

APPLIED MATH QUALIFYING EXAM, JANUARY 2020

Solve all six problems. You have 4 hours. Good luck! You need to demonstrate proficiency in each area.

Problem 1. Consider the following system:

$$\begin{aligned}\dot{x} &= y \\ \dot{y} &= y - x^3.\end{aligned}$$

- (a) Show that origin is a fixed point, and that linear stability analysis does not yield an answer regarding its stability.
- (b) Use a Liapunov function of the form $V(x, y) = ax^4 + bx^2 + cxy + dy^2$ to deduce that the origin is unstable.

Problem 2. Consider a planar system

$$\dot{x} = f(x), \quad x \in \mathbb{R}^2$$

with flow $\varphi(t, x)$. Recall that a *trapping region* for this system is a compact, connected set $D \subset \mathbb{R}^2$ such that $\varphi(t, D) \subsetneq D$ for all $t > 0$ (where \subsetneq means *proper* subset).

Now, assume that $D \subset \mathbb{R}^2$ is a closed region whose boundary, ∂D , is a simple, smooth closed curve that is not a periodic trajectory of the flow. For each $x \in \partial D$ let $n(x)$ denote the inward unit normal to ∂D at x , and recall that $\langle f(x), n(x) \rangle$ denotes the scalar product of the vectors $f(x)$ and $n(x)$.

- (a) Show that the condition $\langle f(x), n(x) \rangle > 0$ for all $x \in \partial D$ is sufficient for D to be a trapping region.
- (b) Show that the condition $\langle f(x), n(x) \rangle \geq 0$ for all $x \in \partial D$ is **not** sufficient for D to be a trapping region.

Problem 3. Consider the following planar system

$$\begin{aligned}\dot{x} &= \mu x + y \\ \dot{y} &= -x - y^3\end{aligned}$$

- (a) Show that the origin is a fixed point and perform its linear stability analysis for all values of μ .
- (b) Show that the system has a stable limit cycle for $\mu > 0$. What kind of a bifurcation occurs at $\mu = 0$?

Problem 4. Consider a planar diffeomorphism $f(x, y) = (f_1(x), f_2(y))$. Suppose that $f_1(x)$ has a 2-cycle $\{x_1^*, x_2^*\}$, and $f_2(y)$ has a fixed point y^* .

- (a) Show that f has a 2-cycle $\{(x_1^*, y^*), (x_2^*, y^*)\}$.
- (b) If the 2-cycle of $f_1(x)$ is asymptotically stable, how does the stability of y^* affect the stability of the 2-cycle in f ?

Problem 5. Suppose that v is a nonzero column vector in \mathbb{C}^n ($n > 1$) and the matrix $A = \frac{vv^*}{v^*v}$, where v^* denotes the Hermitian conjugate of v .

- (a) What are the eigenvalues of A ? Explain.
- (b) Is the matrix $I + A$ (I is the $n \times n$ identity matrix) diagonalizable? Explain.
- (c) Find the determinant of $I + A$.
- (d) What is A^{2020} ? Explain.

Problem 6. Let $D \subset \mathbb{R}^3$ be a region with smooth boundary, ∂D . Show that the boundary value problem

$$\begin{aligned}\nabla^2 u - \lambda u &= h(x), & x \in D, \\ \frac{\partial u}{\partial n} + ku &= g(x), & x \in \partial D,\end{aligned}$$

where the functions h and g are smooth, has a unique solution provided $k > 0$ and $\lambda > 0$. Does uniqueness still hold if one of k and λ is zero while the other is strictly positive? Comment on uniqueness when both $k = 0$ and $\lambda = 0$.